



TRULINE

WWW.TRULINESUPPLY.COM



SAFE VENT™

High-density polyethylene hardhat features a ventilated cap that significantly reduces heat buildup. The 6-point fully adjustable pin-lock suspension is designed to reduce impact and provides a secure fit. Equipped with universal accessory slots. Complies with ANSI for Type 1, Class C.

ITEM #	DESCRIPTION
A305110	blue
A305100	white
A305130	yellow
A305150	orange
REPLACEMENT PARTS	
A305400	6-pt. pin lock suspension
A305480	chin strap

U/M: Each, 24 per case.



ITEM #	DESCRIPTION
A305500	white
A305510	blue
A305520	green
A305530	yellow
A305540	red
A305550	orange

U/M: Each, 20 per case.



WELDING COVER & FILTER PLATES

High quality filter plates help guard against injurious rays from welding and flame cutting. Cover plates protect against light impact from welding sparks and spatter. Fits most brands of welding helmets.

ITEM #	DESCRIPTION
A307100	2" x 4 1/4" filter plate
A307110	4 1/2" x 5 1/4" filter plate
A307151	2" x 4 1/4" cover plate
A307171	4 1/2" x 5 1/4" cover plate

U/M: Each.

FACE-OFF™ HEADGEAR & VISORS

The Face-Off series of headgear provides maximum face protection and comfort. It offers full face coverage from impact, flying particles and liquid splashes. The ratchet suspension system allows for a quick and easy size adjustment. The "turn button" visor attachment holds 12" or 15 1/2" faceshields securely in place and the foam cushion brow pad absorbs perspiration.

ITEM #	DESCRIPTION
A306210	headgear
A306240	headgear (A306210) w/ under chin acetate visor (A306100)
A306280	headgear (A306210) w/ straight PETG visor (A306300)

U/M: Each.



RAVEN™

This lightweight helmet provides protection and comfort. The ratchet headgear ensures a custom fit while the felt browpad absorbs perspiration for added comfort. It features a 2" x 4 1/4" lift-front lens holder.

ITEM #	DESCRIPTION
A307230	raven

U/M: Each, 30 per case.



A306280



A306210



TRULINE

WWW.TRULINESUPPLY.COM

FACE OFF™ CAPSHIELD ATTACHMENT

The black aluminum capshield is resistant to corrosion and heat and easily fits over hard hats. The lightweight blue dielectric capshield helps protect against electrical hazard and features tension adjustment knobs to help keep the faceshield in the desired position. Both capshields feature cam locks that allow easy and universal visor attachment and fit 12" or 15 1/2" faceshields.

ITEM #	DESCRIPTION
A306260	aluminum black
A306480	dielectric blue

U/M: Each, 10 per case. A306480: Each, 48 per case.



FACE OFF™ FACESHIELDS

The polycarbonate windows offer heavy-duty impact protection. Acetate is used for chemical resistance, PETG is an economical choice and the metal mesh protects against sparks and large particulates. Bound faceshields are stronger and more durable. The tinted green faceshield does not meet the radiant energy requirement of ANSI Z87.1, and should not be used for welding.

ITEM #	DESCRIPTION
POLYCARBONATE	
A306330	clear aluminum bound 8"x15 1/2"
A306350	clear unbound 8"x15 1/2"
A306380	clear molded & unbounded 8"x15 1/2"x.O6"

FACESHIELDS CONTINUED...

ITEM #	DESCRIPTION
ACETATE	
A306100	clear under chin unbound 9"x 15 1/2"x .04"
A305376	clear bound 8" x 12" x .04"
A306370	dark green aluminum bound 9" x 15 1/2" x .04"
A306320	medium green unbound 8" x 15 1/2" x .04"
A306340	clear aluminum bound 9" x 15 1/2" x .04"
PETG	
A306300	clear unbound 8" x 15 1/2" x .04"
METAL MESH	
A306270	black steel mesh 8" x 15 1/2" x .04"

U/M: Each. A306300: Pack, 10 per pack.